




East Suffolk and
North Essex
NHS Foundation Trust

A guide for patients having radiotherapy to the prostate or prostate bed

***Radiotherapy Department
Colchester Hospital
Tel: 01206 745055***



Contents

What is radiotherapy?	3
Support for radiotherapy patients	3
General information and arrival	5
Planning your treatment	7
Your treatment	9
Side effects	10
Skincare for patients having radiotherapy	15
After your treatment finishes	18
Useful contact information	19



What is radiotherapy?

Radiotherapy is the use of exact, carefully measured doses of radiation to treat cancer. Radiotherapy machines produce high energy X-rays, which are directed at the site of the tumour (cancer) in order to destroy the abnormal cells. These abnormal cells are more sensitive to radiotherapy than normal cells and can be destroyed. The normal cells within the treated area will also be affected, but they can repair themselves and should recover.

Radiotherapy is often – but not always – given in several small doses over a certain amount of time. The number of treatments will depend on each patient's specific treatment needs. Radiotherapy does not make you radioactive and it is perfectly safe for you to be with other people – including babies, children and pregnant women – throughout your treatment.

Support for radiotherapy patients

Our department has a variety of professionals who will be supporting you during your treatment when required.

Clinical oncologists – doctors who specialise in treating people who have cancer.

Radiotherapy nurses – nurses who have special skills and experience in cancer care.

Clinical nurse specialists – nurses who are available to support you before and during treatment and on an on-going basis

Radiotherapy support officers and reception – team members who help with your general and transport queries.



Therapy radiographers – the people who are responsible for giving you your treatment and for your day-to-day care.

Specialist health professionals – such as dietitians and physiotherapists, who give appropriate therapy and support.

Macmillan information and support radiographers

These are therapy radiographers with extensive experience in all aspects of radiotherapy treatment and care.

They will provide:

- a direct contact to give support and specialist radiotherapy advice for you and your relatives and carers before, during and after a course of radiotherapy
- time for you and your family to talk through the information you have been given and discuss any concerns you may have
- a link with all doctors, nurses and other health care professionals involved in your care, both in the hospital and in the community. We can also refer you on to other health professionals or services if necessary.

Information point

Beside the main entrance to the radiotherapy department we have a selection of information and support literature for you to take. Please ask us if you need further information or advice about looking after your wellbeing or extra therapies or support.

Please ask a member of staff if you would like to speak to us or contact us by phone **01206 745025**. We endeavour to answer your call straight away but if you leave a message for us we aim to respond within one working day.



Prescription medical exemption

All people undergoing treatment for cancer can apply for an Exemption Certificate by collecting a form FP92A from their GP surgery or oncology clinic/treatment department.

General information and arrival

The main entrance to the Radiotherapy Department is behind Gainsborough Wing (diagonally opposite the Constable Wing Entrance). Alternatively you may use the main front entrance to the hospital and follow signs to the Radiotherapy Department.

Coming to the department – by car

Patients undergoing radiotherapy treatment do not have to pay to park at the hospital. There is a car park designated for Radiotherapy patients beside the Radiotherapy main entrance behind Gainsborough Wing. You will be given information about entry to this car park when you are informed about your first radiotherapy appointment.

Coming to the department – by train or bus

The nearest train station is Colchester Main Station which is less than one mile away from Colchester Hospital. There is a frequent bus service from the station to the hospital.

Buses Traveline: **0871 200 22 33**.

'Colchester Park and Ride' is located opposite Weston Homes Stadium (J28 of the A12) and the buses stop outside the back of the hospital. They run from 7 am–7 pm, Monday to Saturday. For more information: www.essexhighways.org or call **0345 743 0430**.



Hospital transport

Hospital transport can only be booked if you are not well enough to make your own way, or you have no alternative means of private or public transport available.

Important

If you use hospital transport, you should be prepared to be away from home for at least four hours. Therefore, if you take regular medication or are diabetic please make sure you have what you need with you when you come.

Refreshments

A limited selection of refreshments, including tea, coffee and squash, is available in the department. However, a wider choice is available in the Senses Restaurant or the League of Friends shop near the main entrance to the hospital. Please ask staff for directions.

Children

We have a selection of books and toys in the waiting area. Please note, however, that this hospital does not have a child-minding service. Children who cannot be left unattended cannot be looked after by departmental staff.

Important Information

Sometimes we advise you not to father a child during and for some time after your radiotherapy treatment. If you have further questions on issues regarding fertility before your radiotherapy, please discuss this with your radiotherapy consultant.



Clothing and gowns

We may ask you to change into a gown and remove your shoes for your planning appointments and for all your radiotherapy treatments.

For this reason it may be helpful for you to wear clothes that are easily removed, including slip-on shoes if you have them or you may prefer to bring some slippers. We will ask you to wear shoes or your slippers to go between the changing room and the treatment rooms, to prevent any slips or falls.

Please note: you may be asked to remove your gown while you are on the couch for your planning and treatment.

Planning your treatment

The planning of your treatment will involve two separate appointments. Your treatment has to be carefully planned so that you will receive the maximum benefit from the radiotherapy. We use our planning computerised tomography (CT) scanner to help us identify the exact area to be treated.

How long will it take?

Each planning session should take 1–2 hours.

What will happen at your first appointment?

You will be taken into a room where your treatment will be discussed and any questions answered. We will ask you to sign a consent form to say that you agree to have radiotherapy. We will discuss your appointments and advise about preparing your bowel and bladder for treatment. We will usually give you a provisional list of the dates and times of all your treatment appointments before you leave but please be aware that occasionally these may change.



What will happen at your second appointment?

You will be asked to arrive one hour before the time of your scan. This is so that you can follow the bladder filling process in the Radiotherapy Department, please do not do it at home.

For the next stage of your planning process you will have a CT scan. After the scan we will ask your permission to make some tiny permanent ink marks with a pin prick on your skin. They are no bigger than a full stop (.) and will be used as reference points for all the measurements for your treatment. These will ensure treatment is accurate each day. You may hear us refer to these as 'tattoos'. If you have any concerns about having these markings please let us know when you attend your treatment planning appointment.

You may be asked to remain in the department while your scan is checked. In some cases the CT scan may need to be repeated.

Your next appointment

The information and measurements that we obtain from the CT planning session will be passed on to our Physics Department who will use it to produce a computerised treatment plan specifically for you. This is a complicated process and usually takes 1–3 weeks to complete.



Your treatment

You will need to follow the instructions given to you about preparing your bowel and bladder before each treatment.

When you arrive for your treatment, please report to reception. Normally on the first day of treatment, the radiographers will have a talk with you and will complete your consent form. Before your treatment you will be asked to change into a hospital gown and you will then be taken into a treatment room. The radiographers will ask you to lie on the treatment couch. They will spend a few minutes positioning you correctly and precisely for your treatment. It is important at this stage that you remain as still as you can.

The radiographers switch on the machine from outside the room so, when all the adjustments have been made, they will leave while you have your treatment. The machine makes a noise when it is operating so you will know when it is on.

This is the only time you will be left alone. However, the radiographers are able to see you on CCTV and they can also hear you over the intercom, in the treatment room.

The radiographers will take an X-ray image to check your treatment position and bladder and bowel filling. If it is not satisfactory you may be asked to leave the room and given further instructions about your bowel or bladder filling.

This is quite normal and nothing to worry about. We will always explain exactly what we would like you to do. You will then be asked to return and the X-ray image will be repeated prior to the treatment machine being switched on. This routine will be the same every time you come for treatment until your course is completed.

How long will it take?

After only a few minutes your treatment will be over. Exactly how many minutes it will take varies but you are likely to be in the treatment room for 10–20 minutes. The treatment process will take longer if adjustments need to be made to your bowel and bladder filling.

How long will you be in the department?

We hope that you will be in the department no longer than 45–60 minutes each visit but this may vary. If you travel by hospital transport, however, you will be here quite a lot longer than that. The transport is unable to take you back until all the patients who came with you have also been treated. Patients are also reviewed by other members of the team during their course of radiotherapy and on these days you may expect to be in the department longer.

Side effects of radiotherapy

Your normal routine need not be greatly affected but you may feel tired. Although radiotherapy is completely painless, it is a very powerful treatment and does have some side effects. These vary depending not only on how much treatment you receive but also which part of the body is being treated. Some people are more sensitive to radiation than others and are more likely to experience side effects. Unfortunately, there is no way of identifying these people before they are treated.

Please note that if you have a short course of treatment (fewer than ten treatments) you are less likely to have significant side effects.



If side effects do occur, they will usually develop during the second half of your treatment and could last for some time after your treatment has finished. Recovery rates vary from person to person, so it is difficult to give an exact time for how long they will last.

Why do side effects occur?

Radiotherapy is a localised treatment, so it affects only the part of the body being treated. When your treatment is being planned, your oncologist will select a dose of radiation that has the best chance of destroying any cancer cells while having the smallest possible effect on healthy tissue.

Radiation can cause some damage to the normal, healthy tissues in and around the treated area, however, and it is this damage that causes side effects. These tissues usually recover and return to normal after the treatment has been completed.

Any possible long-term effects of having radiotherapy will be discussed with you.

Possible side effects

Fatigue

You may feel tired during your radiotherapy treatment, because the body has to repair damage caused by the radiotherapy to healthy cells. It can often be made worse by having to travel to hospital each day, or by other treatments such as surgery or chemotherapy.

What can be done?

- There's good evidence that physical activity can actually help to reduce the symptoms of fatigue. Get plenty of rest but balance this with some gentle exercise, such as short walks if you are able. This will give you more energy and help to keep your muscles working.



- Save some energy for doing the things you enjoy and ask others for help doing chores if these are tiring you out.
- Eating well can help to boost your energy levels.
- Drink plenty of fluids.

Bladder problems

As we have already mentioned, tissues in the treated area can be irritated by the treatment. When treating the prostate, a small amount of your bladder may be in the treatment field. This can cause:

- feeling the need to pass urine more often
- a burning sensation when passing urine.

What can be done?

- Drink plenty of fluids – at least four pints (two litres) a day (about eight mugs).
- You may find that some drinks such as those containing caffeine or alcohol may irritate your bladder and it may help if you avoid these.
- If needed the staff can provide you with a card to show in shops and other public places asking for you to be given access to a toilet quickly.

-

Let the radiographers know if you experience any of these bladder symptoms so you can be checked for urinary infection.



Bowel problems

When treating the prostate, a small amount of your bowel may be in the treatment field. This can cause diarrhoea.

What can be done?

- It may be necessary for you to modify your diet if you get diarrhoea. We can give you advice on what to try.
- Drink plenty of fluids.
- If altering your diet doesn't work, let the radiographers know so you can be given medication to help.

Proctitis

This is when the rectum and/or anus become inflamed from the radiotherapy treatment. This may cause pain in the back passage when you open your bowels. You may also pass some mucus and blood when opening your bowels.

What can be done?

Let the radiographers know if you are experiencing proctitis and we can then get you something to help ease this.

Further information for gay and bisexual men

It is advisable to abstain from receiving anal sex during and for a few weeks after your course of treatment. If you would like more information, please ask a member of your Radiotherapy team. The information booklet 'Prostate facts for gay and bisexual men' is available online or from the Radiotherapy Centre Information Point.



Sore, red skin (erythema)

During your radiotherapy and for a while afterwards, you may develop a skin reaction in the area being treated. You may notice:

- your skin gradually becoming pinker or darker, depending on your skin colour
- the skin may feel dry or tight, and sore
- a rash may also appear and feel itchy.

A skin reaction may appear at any time but usually begins about ten days after starting treatment. If you are having less than ten radiotherapy treatments you are unlikely to experience a significant skin reaction.

What can affect my skin reaction?

- Having treatment to areas where there are skin folds can make your skin reaction worse. This includes the groin or between the buttocks because they can be warm, moist and rub together causing friction.
- Smoking can make your skin reaction worse – if you need help to stop please ask for advice.
- A skin reaction is more likely if you are overweight, due to more skin folds.

A member of the radiotherapy team will talk to you about your usual daily skin care routine. He or she will let you know if any changes are advised. Please share any worries you have.

What can be done?

Skin reactions can be kept minimal by following this advice:



Skincare for patients having radiotherapy treatment

It may not be possible to stop a skin reaction but by following this advice you may feel more comfortable.

Important – this only applies to the skin in the area being treated. Please ask the treatment staff if you are unsure of the exact area of skin which will be affected by your treatment.

- Wash the skin gently with soap and warm (not hot) water; gently pat dry.
- Avoid tight clothing in the treatment area.
- Wear loose-fitting, natural fibre clothing next to the skin. Avoid rubbing the area.
- Avoid extremes of temperature such as heating and cooling pads, hot water bottles and microwaveable wheat bags.
- Avoid sticky tape on the area (such as Elastoplast™ or Micropore™). It may also help to reduce irritation to the treated area if you use a moisturiser sparingly – gently smooth it on and apply in the direction of hair growth.

Please stop using if it irritates your skin and talk to your treatment team. Aquamax cream (available from pharmacy counters) and E45 cream are examples of suitable moisturisers. If you're choosing a new moisturiser, one that is free from sodium lauryl sulphate would be best. Ask the team if you are unsure about the cream you wish to use.

- Do not wipe moisturiser off before treatment. If your skin breaks/blisters you should stop using moisturiser. Your treatment team will advise you further.
- Avoid using products containing alcohol on the skin.



- You may swim if your skin isn't broken. Shower after swimming to wash off the chlorine and apply your moisturiser. Please stop swimming if it irritates your skin.
- Avoid sun exposure and protect the area from direct sunlight. Be careful in the sun for at least a year after you have finished. Use a sunscreen with a minimum UVB sun protection factor (SPF) of 30 and UVA protection as your skin will be more sensitive.
- Your treatment team will let you know if this advice changes during treatment.
- **Important** – Please stop using any particular product which you think may be irritating your skin in the treatment area and ask your treatment team for advice. It may help to keep up a good fluid intake and eat a nutritionally well-balanced diet.



As your treatment progresses

Your oncologist will oversee your planning and treatment and you will be monitored daily by the Radiotherapy team. Please always make sure that you let the radiographers know if you get any side effects.

If you have a concern about side effects or problems that you wish to discuss and your appointment is after 4.30 pm, please call ahead well before your appointment time.

The radiographers may advise you to come earlier to be seen by the appropriate member of the team.

Additional information

What happens if you miss any treatments?

Right at the beginning of your course of treatment we will give you the dates and times of all your treatment appointments. Ideally, you should not miss any of these appointments. If you are ill and unable to come, however, or something unforeseen happens which stops you having your treatment, your missed appointment(s) will be re-organised. They will usually be added on to the end of your list. If you miss an appointment, please check with the radiographers to find out exactly what will happen in your case.



After your treatment finishes

Side effects of radiotherapy often reach their peak 7–14 days after treatment has finished. They will then gradually settle and improve. Again, it is very hard to put an exact timescale on it because everyone's recovery rate is different.

Remember

We are always available if you experience problems or simply need reassurance. You will find a list of contact numbers at the end of this booklet.

Important

Continue following our skincare advice for two weeks after your treatment has finished, and then start to return to your normal routine.

Follow-up appointments

A follow up appointment for 4–12 weeks after your radiotherapy treatment will be sent to you. Please call if you do not receive it.

And finally...

Please share this booklet with your family and friends. It is important that they feel well-informed and understand what is happening. If you or your family need any further information, please do not hesitate to call – contact numbers are on the next page.



Useful contact information

Information and support radiographers **01206 745025**
Monday to Friday, 9 am–5 pm

Radiotherapy Reception	01206 745055
Appointments /Transport	01206 745033
Radiotherapy nurses	01206 745037

Macmillan Cancer Information Centres

Colchester General Hospital	01206 745347
Broomfield Hospital	01245 515981

Macmillan Cancer Support

Freephone **0808 808 0000**
www.macmillan.org.uk

Verifying your identity


When you attend hospital you will be asked to confirm your first and last names, date of birth, postcode and NHS number if you know it, and to let us know if you have any allergies.

We value your feedback

To find out how to give us feedback on your visit or healthcare experience, please visit www.esneft.nhs.uk and search for 'PALS', or speak to a member of staff on the ward or department you are in.



Colchester Hospital



Please ask if you need this leaflet in an alternative format.

Issued by:
East Suffolk and North Essex NHS Foundation Trust
Colchester Hospital, Turner Road, Colchester CO4 5JL
www.esneft.nhs.uk



Issue 4: October 2019 Review date: September 2022
© East Suffolk and North Essex NHS Foundation Trust, 2003-2019.
All rights reserved. Not to be reproduced in whole, or in part,
without the permission of the copyright owner.